



Cofe

**PATENT**

Attorney Docket No.: 427600600064

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Inventors: Hull et al.

Serial No.: 10/662,801

Patent No.: 6,812,405

Filed: September 15, 2003

Issued: November 2, 2004

For: ELECTRICAL BRACKET

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certificate**  
FEB 04 2005  
**of Correction**

**NOTIFICATION OF ERROR IN PRINTING PATENT  
CERTIFICATE OF CORRECTION REQUESTED  
UNDER 37 CFR § 1.323**

In proofreading the above-referenced patent, it has been noted that the following errors occurred in the printing thereof. A Certificate of Correction is therefore requested. (See enclosed Certificate of Correction)

I hereby certify that this correspondence is being deposited today with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

on January 24, 2005

By: Kathie J. Kopczyk

FEB 2005

No fees are deemed to be due in connection with the issuance of the Certificate of Correction as all errors are printing errors of the United States Patent and Trademark Office. In the event, however, that fees are due, please charge any fees required by this request to Jones Day's Deposit Account No. 501432, account 427600600064.

*Mitchell Rose*

---

Mitchell Rose, Ph.D.  
Patent Agent  
Registration No. 47,906  
Jones Day  
North Point  
901 Lakeside Avenue  
Cleveland, OH 44114  
(216) 586-7094

Date: 1/24/05

7 FEB 2005  
Page 2 of 2

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,812,405

DATED : November 2, 2004

INVENTOR(S) : Hull et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 5, line 13, delete "tom" and insert -- torn --.

In column 6, line 46, delete "stabilize" and insert -- stabilizer --.

In column 6, line 62, delete "aces" and insert -- faces --.

In column 7, line 19, delete "stabilize" and insert -- stabilizer --.

In column 7, line 27 delete "stud side" and insert -- stud, said --.

In column 7, line 49, delete "and" and insert -- end --.

In column 7, line 54, delete "extended" and insert -- extends --.

In column 7, line 56, delete "about" and insert -- abut --.

In column 7, line 58, after "stud " insert -- , --.

In column 8, line 25, delete "faster" and insert -- fastener --.

In column 8, line 56, delete ",'" and insert -- , --.

In column 8, line 61, delete ",'" and insert -- , --.

In column 8, line 63, delete "wills" and insert -- walls --.

In column 9, line 52, delete "stature" and insert -- structure --.

**MAILING ADDRESS OF SENDER:**

Mitchell Rose, Ph.D.

Jones Day

North Point, 901 Lakeside Avenue

Cleveland, Ohio 44114

PATENT NO. 6,812,405

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

FEB 2005